

CS 3313

Foundations of Computing:

Examples of use of CFL

Pumping Lemma

Going Back to Before the Exam

- Today we will practice using the CFL pumping lemma
- You will need this on the next homework

Statement of the CFL Pumping Lemma

For every context-free language L

There is an integer p , such that

For every string s in L of length $\geq p$

There exists $s = uvwxy$ such that:

1. $|vwx| \leq p$.
 2. $|vx| > 0$.
 3. For all $i \geq 0$, uv^iwx^iy is in L .
- You cannot fix the value of p
 - vwx can fall anywhere in the string as long as it satisfies $|vwx| \leq p$
=> have to consider all cases for vwx

$L_1: \{ a^m \mid m \text{ is a prime number} \}$

1. Assume it is CFL and let p be the constant of the lemma
 2. Pick $z = a^n$ where n is the smallest prime larger than p
 3. $z = uvwxy$
 - All the substrings consist entirely of a's
 - Let $v = a^j$ and $x = a^k$
 - Remaining string $uwxy$ consists of $n - (j+k)$ a's.
- From lemma, we know that $1 \leq j+k \leq p$

$L_1: \{ a^m \mid m \text{ is a prime number} \}$

- From lemma, uv^iwx^iy is in L_1 for all $i \geq 0$
 - we need to pick an i so that the resulting number of a 's are not prime.
- How to get a contradiction: pick a value of i such that we end up with a number that can be factored
- Pick $i = n+1$, since vx consists of $(j+k)$ a 's
 - $uv^iwx^iy = a^{n-(j+k)} a^{(n+1)(j+k)} = a^{(n-(j+k) + (n+1)(j+k))}$
- So, the number of a 's is
$$m = (n - (j+k) + (n+1)(j+k)) = n + n(j+k) = n(1+j+k).$$
- Since $(j+k) \geq 1$, $(1+j+k) \geq 2$
- Therefore $m = n(1+j+k)$ is not a prime
 - Since it has two factors, both greater than 1.

$L_2: \{ w \mid w \in \{a,b,c\}^*, \text{ and } n_a(w) = n_b(w) * n_c(w) \}$

- This language does not place restrictions on the pattern
 - $n_a(w)$ = number of a's in the string w, etc.
 - We can have a's after b's etc.
- Intuition: we need to keep track of number of b's and c's, and then multiply the two...this implies we need to store two variables ($n_b(w)$ and $n_c(w)$): likely not context free

$L_2: \{ w \mid w \in \{a,b,c\}^*, \text{ and } n_a(w) = n_b(w) * n_c(w) \}$

- Assume L_2 context free, let p be the constant of the lemma
- We need to pick values for $n_a(w)$, $n_b(w)$, $n_c(w)$ which will make it easy to prove the $n_a(w)$ in pumped string cannot be the product of $n_b(w)$ and $n_c(w)$
- Additionally, pick a pattern that makes it easier to determine the different cases of vwx


$L_2: \{ w \mid w \in \{a,b,c\}^*, \text{ and } n_a(w) = n_b(w) * n_c(w) \}$

- Let p be the constant and pick $z = a^m b^p c^p$ where $m = p^2$
 - *why pick this as z ?*
 - We want to construct an instance of $n_b(w) * n_c(w)$ which will make it easier to contradict: if we pick perfect squares then we know that the next perfect square after p^2 is $(p+1)^2$ which is $(2p+1)$ more than p^2
 - Lemma states, $|vwx| \leq p$ and $|vx| \geq 1$
- Next: look at the possible cases for where vwx could be
 - We need to find a contradiction for each of these cases

$L_2: \{ w \mid w \in \{a,b,c\}^*, \text{ and } n_a(w) = n_b(w) * n_c(w) \}$

- Let's look at the possible cases for where vwx could be
 - We need to find a contradiction for each of these cases

$aa \dots aabb \dots bbcc \dots cc$



Observation:

vx in cases 1,2,3 consist of one type of symbol/terminal

vx in cases 4,5 consists of two types of symbols

Cases 1, 2, and 3

$L_2: \{ w \mid w \in \{a,b,c\}^*, \text{ and } n_a(w) = n_b(w) * n_c(w) \}$

- Case 1: vx consists entirely of a 's $\Rightarrow v = a^j, x = a^k$
- From Lemma: $(j+k) \geq 1$ and $(j+k) \leq p$
- Consider $z' = uv^2wx^2y = a^{\{p^2+(j+k)\}}b^p c^p$
 - But, $n_b(w) = n_c(w) = p$
 - Since $p^2 + (j+k) > p^2$, we know that $n_a(w) \neq n_b(w) * n_c(w)$
- Therefore z' it is not in the L_2
- Cases 2, 3: i.e. vx consists entirely of b 's or entirely of c 's
 - Setting $i=2$, we get an increase in either the number of b 's or c 's without increasing a 's. So, $n_a(w) \neq n_b(w) * n_c(w)$

Cases 4,5

$$L_2 = \{ w \mid w \in \{a,b,c\}^*, \text{ and } n_a(w) = n_b(w) * n_c(w) \}$$

- Cases 4,5 are a bit more complicated
- if either v or x consist of two different symbols then uv^2wx^2y will have a's after b's etc.....**but this is allowed in this language!!**
- Case 4: vx consists of j a's and k b's – we don't care about the exact pattern
- Case 5: vx consists of j b's and k c's – we don't care about the exact pattern

Cases 4,5

$L_2 = \{ w \mid w \in \{a,b,c\}^*, \text{ and } n_a(w) = n_b(w) * n_c(w) \}$

- Case 4: w consists of j a's and k b's – we don't care about the exact pattern
- From conditions of the lemma, $(j+k) > 0$ and $(j+k) \leq p$
- Therefore, $z' = uv^2wx^2y$ will have
 - $n_a(z') = (p^2 + j)$
 - $n_b(z') = (p + k)$
 - $n_c(z') = p$
- Question: is $(p^2 + j) = p(p+k)$?
 - **If** $p^2 + j = p^2 + pk$ **then** $j = pk$
 - If $k=0$ then $j=0$ **contradiction since** $(j+k) > 0$
 - If $k > 0$ then $j = pk \geq p$, so $(j+k) > p$ **contradiction since** $(j+k) \leq p$
- Case 5 is similar

Exercise:

$$L_3 = \{ x w w^R y \mid x=y, x,y \in \{0,1\}^*, w \in \{a,b\}^* \}$$

- Intuition: While recognizing ww^R can be done using a stack, recognizing $x=y$ implies a stack storage is not sufficient
 - This property is like the language ww – see earlier proof (and in textbook) that it is not context free.
- Application of pumping lemma now requires carefully choosing the string so we can simplify the proof and focus in on what seems to be the non-context free property of $x=y$.
- Assume it is CFL and let p be the constant of the lemma

$L_3: \{ x w w^R y \mid x=y, x,y \in \{0,1\}^*, w \in \{a,b\}^* \}$

- **Hint:** what is the smallest string that w can be ? What does a string z look like with this smallest “value” for w ?
- Next: write out this string and consider the different cases.